ELSEVIER

Brain Research 765 (1997) 357–359

BRAIN RESEARCH

Author Index

Akaike, A., see Kaneko, S. (765) 135
Akaoka, H., see Aston-Jones, G. (765) 331
Akiyama, K., see Shimizu, Y. (765) 247
Alloui, A., see Bardin, L. (765) 267
Amin, N., see Pant, A.C. (765) 259
Anderson, E.G., see Todorovic, S.M. (765) 291
Anderson, L.C., see Chudler, E.H. (765) 327
Ang, C.W., Dotman, C.H., Winkler, H., Fischer-Colbrie, R., Sonnemans, M.A.F. and Van Leeuwen, F.W.
Specific expression of secretogranin II in magnocellular vasopressin neurons of the rat supraoptic and paraventricular nucleus in response to osmotic stimulation (765) 13
Antonelli, T., see Beani, L. (765) 91
Arimura, A., see Shioda, S. (765) 81
Asakuno, K., see Isono, M. (765) 319
Aston-Jones, G., Hirata, H. and Akaoka, H.
Local opiate withdrawal in locus coeruleus in vivo (765) 331
Audet, R.M., see Rao, V.L.R. (765) 169
Aureli, T., Di Cocco, M.E., Calvani, M. and Conti, F.
The entry of [1-^{13}C]glucose into biochemical pathways reveals a complex compartmentation and metabolite trafficking between glia and neurons: a study by ^{13}C-NMR spectroscopy (765) 218
Avila, J., see Sánchez, C. (765) 141
Azbill, R.D., Mu, X., Bruce-Keller, A.J., Mattson, M.P. and Springer, J.E.
Impaired mitochondrial function, oxidative stress and altered antioxidant enzyme activities following traumatic spinal cord injury (765) 283

Bardin, L., Jourdan, D., Alloui, A., Lavarenne, J. and Eschalier, A.
Differential influence of two serotonin 5-HT$_3$ receptor antagonists on spinal serotonin-induced analgesia in rats (765) 267
Baum, L.O. and Strobel, H.W.
Regulation of expression of cytochrome *P*-450 2D mRNA in rat brain with steroid hormones (765) 67
Beani, L., Antonelli, T., Tomasini, C. and Bianchi, C.
The muscarinic modulation of [^{3}H]D-aspartate efflux and $[Ca^{2+}]_i$ levels in rat cerebellar granule cells (765) 91
Behbehani, M.M., see Hall, C.W. (765) 208
Bennett Jr., J.P., see Smith, T.S. (765) 183
Bennett Jr., J.P., see Smith, T.S. (765) 189
Bianchi, C., see Beani, L. (765) 91
Bruce-Keller, A.J., see Azbill, R.D. (765) 283
Bunney Jr., W., see Tang, S.W. (765) 7
Butterworth, R.F., see Rao, V.L.R. (765) 169
Byers, M.R., see Chudler, E.H. (765) 327

Calvani, M., see Aureli, T. (765) 218
Chopp, M., see Li, Y. (765) 301
Chudler, E.H., Anderson, L.C. and Byers, M.R.
Nerve growth factor depletion by autoimmunization produces thermal hypoalgesia in adult rats (765) 327
Contestabile, A., see Sparapani, M. (765) 164
Conti, F., see Aureli, T. (765) 218
Cotter, D., Kerwin, R., Doshi, B., Martin, C.S. and Everall, I.P.
Alterations in hippocampal non-phosphorylated MAP2 protein expression in schizophrenia (765) 238
Cusick, C.G., see Gutierrez, C. (765) 349

Dailey, J.W., see Yan, Q.-S. (765) 149
Dalmaz, Y., see Poncet, L. (765) 122
De Lanerolle, N.C., see Shaikh, M.B. (765) 198
Denoroy, L., see Poncet, L. (765) 122
Di Cocco, M.E., see Aureli, T. (765) 218
Dijstelbloem, Y.P., see Moyer, R.W. (765) 337
Donahue, B.B., see Hammond, D.L. (765) 177
Doshi, B., see Cotter, D. (765) 238
Dotman, C.H., see Ang, C.W. (765) 13

Emson, P.C., see Kitahara, T. (765) 1
Eschalier, A., see Bardin, L. (765) 267
Everall, I.P., see Cotter, D. (765) 238

Fang, H., see Tang, S.W. (765) 7
Feldon, J., see Joel, D. (765) 37
Ferguson, S.A., see Moyer, R.W. (765) 337
Fischer-Colbrie, R., see Ang, C.W. (765) 13
Fujii, T., see Suzuki, T. (765) 74
Fujiki, M., see Isono, M. (765) 319
Fujimiya, M., see Nakajima, Y. (765) 113

Gavish, M., see Pick, C.G. (765) 129
Goto, S., Oshima, T., Ikeda, K., Ueda, N. and Takasaka, T.
Expression and localization of the Na-K-2Cl cotransporter in the rat cochlea (765) 324
Gutierrez, C. and Cusick, C.G.
Area V1 in macaque monkeys projects to multiple histochemically defined subdivisions of the inferior pulvinar complex (765) 349

Hall, C.W. and Behbehani, M.M.
The medial preoptic nucleus of the hypothalamus modulates activity of nitric oxide sensitive neurons in the midbrain periaqueductal gray (765) 208
Hamamura, T., see Shimizu, Y. (765) 247
Hammond, D.L., Donahue, B.B. and Stewart, P.E.
Role of spinal δ_1 and δ_2 opioid receptors in the antinociception produced by microinjection of L-glutamate in the ventromedial medulla of the rat (765) 177
Heinemann, U., see Stabel-Burow, J. (765) 313
Helmeste, D.M., see Tang, S.W. (765) 7
Hermann, A., see Kerschbaum, H.H. (765) 30
Hirai, S., see Kawarabayashi, T. (765) 343
Hirata, H., see Aston-Jones, G. (765) 331
Holschneider, D.P., Leuchter, A.F., Walton, N.Y., Scremin, O.U. and Treiman, D.M.
Changes in cortical EEG and cholinergic function in response to NGF in rats with nucleus basalis lesions (765) 228
Hori, S., see Isono, M. (765) 319

Igeta, Y., see Kawarabayashi, T. (765) 343
Ikeda, K., see Goto, S. (765) 324
Inoue, R., see Isono, M. (765) 319
Ishiguro, K., see Kawarabayashi, T. (765) 343
Ishihara, T., see Shimizu, Y. (765) 247
Isono, M., Wakabayashi, Y., Fujiki, M., Inoue, R., Asakuno, K. and Hori, S.
Evidence of apoptotic procedure in deafferented striatum after cortical injury in young adult rats (765) 319
Itoh, M.T., Nomura, T. and Sumi, Y.
Hydroxyindole-*O*-methyltransferase activity in the silkworm (*Bombyx mori*) (765) 61

Jiang, N., see Li, Y. (765) 301
Jobe, P.C., see Yan, Q.-S. (765) 149
Joel, D., Tarrasch, R., Feldon, J. and Weiner, I.
Effects of electrolytic lesions of the medial prefrontal cortex or its subfields on 4-arm baited, 8-arm radial maze, two-way active avoidance and conditioned fear tasks in the rat (765) 37
Jones, E.G., see Tang, S.W. (765) 7
Jourdan, D., see Bardin, L. (765) 267
Jubelier, E.M., see Saint Marie, R.L. (765) 173

Kanai, M., see Kawarabayashi, T. (765) 343
Kaneko, S., Maeda, T., Kume, T., Kochiyama, H., Akaike, A., Shimohama, S. and Kimura, J.
Nicotine protects cultured cortical neurons against glutamate-induced cytotoxicity via α_7-neuronal receptors and neuronal CNS receptors (765) 135

Karle, J., Witt, M.R. and Nielsen, M.
Diazepam protects against rat hippocampal neuronal cell death induced by antisense oligodeoxynucleotide to $GABA_A$ receptor $\gamma 2$ subunit (765) 21
Kawarabayashi, T., Igeta, Y., Sato, M., Sasaki, A., Matsubara, E., Kanai, M., Tomidokoro, Y., Ishiguro, K., Okamoto, K., Hirai, S. and Shoji, M.
Lysosomal generation of amyloid β protein species in transgenic mice (765) 343
Kennaway, D.J., see Moyer, R.W. (765) 337
Kerschbaum, H.H. and Hermann, A.
Ethanol suppresses neuronal Ca^{2+} currents by effects on intracellular signal transduction (765) 30
Kerwin, R., see Cotter, D. (765) 238
Khan, S.M., see Smith, T.S. (765) 189
Kimura, J., see Kaneko, S. (765) 135
Kitahara, T., Takeda, N., Emson, P.C., Kubo, T. and Kiyama, H.
Changes in nitric oxide synthase-like immunoreactivities in unipolar brush cells in the rat cerebellar flocculus after unilateral labyrinthectomy (765) 1
Kiyama, H., see Kitahara, T. (765) 1
Kleu, A., see Stabel-Burow, J. (765) 313
Kochiyama, H., see Kaneko, S. (765) 135
Kodama, M., see Shimizu, Y. (765) 247
Kubo, T., see Kitahara, T. (765) 1
Kume, T., see Kaneko, S. (765) 135
Kuroda, S., see Shimizu, Y. (765) 247

Lavarenne, J., see Bardin, L. (765) 267
Leuchter, A.F., see Holschneider, D.P. (765) 228
Li, M., see Tang, S.W. (765) 7
Li, Y., Chopp, M., Powers, C. and Jiang, N.
Apoptosis and protein expression after focal cerebral ischemia in rat (765) 301
López-Barneo, J., see Sánchez, C. (765) 141
Lukatch, H.S. and MacIver, M.B.
Voltage-clamp analysis of halothane effects on $GABA_{A\,fast}$ and $GABA_{A\,slow}$ inhibitory currents (765) 108

MacIver, M.B., see Lukatch, H.S. (765) 108
Maeda, T., see Kaneko, S. (765) 135
Maeda, T., see Nakajima, Y. (765) 113
Maher, P., see Tan, S. (765) 159
Malberg, J.E. and Seiden, L.S.
Administration of fenfluramine at different ambient temperatures produces different core temperature and 5-HT neurotoxicity profiles (765) 101
Mao, J.-B., see Robinson, J.K. (765) 51
Marchant, E.G. and Mistlberger, R.E.
Anticipation and entrainment to feeding time in intact and SCN-ablated C57BL/6j mice (765) 273
Martin, C.S., see Cotter, D. (765) 238
Matsubara, E., see Kawarabayashi, T. (765) 343
Mattson, M.P., see Azbill, R.D. (765) 283
Mistlberger, R.E., see Marchant, E.G. (765) 273
Mitake, S., see Suzuki, T. (765) 74
Montoro, R.J., see Sánchez, C. (765) 141
Mori, A., see Nakajima, Y. (765) 113
Moyer, R.W., Kennaway, D.J., Ferguson, S.A. and Dijstelbloem, Y.P.
Quipazine and light have similar effects on c-*fos* induction in the rat suprachiasmatic nucleus (765) 337
Mu, X., see Azbill, R.D. (765) 283

Nakai, Y., see Shioda, S. (765) 81
Nakajima, Y., Fujimiya, M., Maeda, T. and Mori, A.
Morphological investigation of the neuroprotective effects of graded hypothermia after diverse periods of global cerebral ischemia in gerbils (765) 113
Nakajo, S., see Shioda, S. (765) 81
Nakaya, K., see Shioda, S. (765) 81
Nielsen, M., see Karle, J. (765) 21
Nomura, T., see Itoh, M.T. (765) 61

Okamoto, K., see Kawarabayashi, T. (765) 343
Okumura-Noji, K., see Suzuki, T. (765) 74
Ortali, F., see Sparapani, M. (765) 164
Oshima, T., see Goto, S. (765) 324

Pant, A.C., Veeranna, , Pant, H.C. and Amin, N.
Phosphorylation of human high molecular weight neurofilament protein (hNF-H) by neuronal cyclin-dependent kinase 5 (cdk5) (765) 259
Pant, H.C., see Pant, A.C. (765) 259
Paz, L., see Pick, C.G. (765) 129
Pequignot, J.-M., see Poncet, L. (765) 122
Peter, Y., see Pick, C.G. (765) 129
Pick, C.G., Peter, Y., Paz, L., Schreiber, S., Gavish, M. and Weizman, R.
Effect of the pregnane-related GABA-active steroid alphaxalone on mice performance in the staircase test (765) 129
Poncet, L., Denoroy, L., Dalmaz, Y. and Pequignot, J.-M.
Activity of tryptophan hydroxylase and content of indolamines in discrete brain regions after a long-term hypoxic exposure in the rat (765) 122
Potkin, S., see Tang, S.W. (765) 7
Powers, C., see Li, Y. (765) 301

Rao, V.L.R., Audet, R.M. and Butterworth, R.F.
Increased neuronal nitric oxide synthase expression in brain following portacaval anastomosis (765) 169
Reith, M.E.A., see Yan, Q.-S. (765) 149
Robinson, J.K. and Mao, J.-B.
Differential effects on delayed non-matching-to-position in rats of microinjections of muscarinic receptor antagonist scopolamine or NMDA receptor antagonist MK-801 into the dorsal or ventral extent of the hippocampus (765) 51

Saint Marie, R.L., Stanforth, D.A. and Jubelier, E.M.
Substrate for rapid feedforward inhibition of the auditory forebrain (765) 173
Sánchez, C., Ulloa, L., Montoro, R.J., López-Barneo, J. and Avila, J.
NMDA-glutamate receptors regulate phosphorylation of dendritic cytoskeletal proteins in the hippocampus (765) 141
Sasaki, A., see Kawarabayashi, T. (765) 343
Sato, M., see Kawarabayashi, T. (765) 343
Schreiber, S., see Pick, C.G. (765) 129
Schubert, D., see Tan, S. (765) 159
Schuchmann, S., see Stabel-Burow, J. (765) 313
Scremin, O.U., see Holschneider, D.P. (765) 228
Scroggs, R.S., see Todorovic, S.M. (765) 291
Seiden, L.S., see Malberg, J.E. (765) 101
Shaikh, M.B., De Lanerolle, N.C. and Siegel, A.
Serotonin 5-HT_{1A} and 5-$HT_{2/1C}$ receptors in the midbrain periaqueductal gray differentially modulate defensive rage behavior elicited from the medial hypothalamus of the cat (765) 198
Shimizu, H., see Suzuki, T. (765) 74
Shimizu, Y., Akiyama, K., Kodama, M., Ishihara, T., Hamamura, T. and Kuroda, S.
Alterations of calmodulin and its mRNA in rat brain after acute and chronic administration of methamphetamine (765) 247
Shimohama, S., see Kaneko, S. (765) 135
Shioda, S., Yada, T., Nakajo, S., Nakaya, K., Nakai, Y. and Arimura, A.
Pituitary adenylate cyclase-activating polypeptide (PACAP): a novel regulator of vasopressin-containing neurons (765) 81
Shoji, M., see Kawarabayashi, T. (765) 343
Siegel, A., see Shaikh, M.B. (765) 198
Smith, T.S. and Bennett Jr., J.P.
Mitochondrial toxins in models of neurodegenerative diseases. I: in vivo brain hydroxyl radical production during sytemic MPTP treatment or following microdialysis infusion of methylpyridinium or azide ions (765) 183
Smith, T.S., Trimmer, P.A., Khan, S.M., Tinklepaugh, D.L. and Bennett Jr., J.P.
Mitochondrial toxins in models of neurodegenerative diseases. II: elevated *zif*268 transcription and independent temporal regulation of striatal D1 and D2 receptor mRNAs and D1 and D2 receptor-binding sites in C57BL/6 mice during MPTP treatment (765) 189
Sonnemans, M.A.F., see Ang, C.W. (765) 13
Sparapani, M., Virgili, M., Ortali, F. and Contestabile, A.
Effects of chronic lithium treatment on ornithine decarboxylase induction and excitotoxic neuropathology in the rat (765) 164
Springer, J.E., see Azbill, R.D. (765) 283
Stabel-Burow, J., Kleu, A., Schuchmann, S. and Heinemann, U.
Glutathione levels and nerve cell loss in hippocampal cultures from trisomy 16 mouse – a model of Down syndrome (765) 313
Stanforth, D.A., see Saint Marie, R.L. (765) 173

Stewart, P.E., see Hammond, D.L. (765) 177
Strobel, H.W., see Baum, L.O. (765) 67
Sumi, Y., see Itoh, M.T. (765) 61
Suzuki, T., Mitake, S., Okumura-Noji, K., Shimizu, H., Tada, T. and Fujii, T.
Excitable membranes and synaptic transmission: postsynaptic mechanisms. Localization of α-internexin in the postsynaptic density of the rat brain (765) 74

Tada, T., see Suzuki, T. (765) 74
Takasaka, T., see Goto, S. (765) 324
Takeda, N., see Kitahara, T. (765) 1
Tan, S., Maher, P. and Schubert, D.
The role of protein phosphorylation in beta amyloid toxicity (765) 159
Tang, S.W., Helmeste, D.M., Fang, H., Li, M., Vu, R., Bunney Jr., W., Potkin, S. and Jones, E.G.
Differential labeling of dopamine and sigma sites by [^{3}H]nemonapride and [^{3}H]raclopride in postmortem human brains (765) 7
Tarrasch, R., see Joel, D. (765) 37
Tinklepaugh, D.L., see Smith, T.S. (765) 189
Todorovic, S.M., Scroggs, R.S. and Anderson, E.G.
Cationic modulation of 5-HT_2 and 5-HT_3 receptors in rat sensory neurons: the role of K^+, Ca^{2+} and Mg^{2+} (765) 291
Tomasini, C., see Beani, L. (765) 91
Tomidokoro, Y., see Kawarabayashi, T. (765) 343
Treiman, D.M., see Holschneider, D.P. (765) 228
Trimmer, P.A., see Smith, T.S. (765) 189

Ueda, N., see Goto, S. (765) 324
Ulloa, L., see Sánchez, C. (765) 141

Van Leeuwen, F.W., see Ang, C.W. (765) 13
Veeranna, , see Pant, A.C. (765) 259
Virgili, M., see Sparapani, M. (765) 164
Vu, R., see Tang, S.W. (765) 7

Wakabayashi, Y., see Isono, M. (765) 319
Walton, N.Y., see Holschneider, D.P. (765) 228
Weiner, I., see Joel, D. (765) 37
Weizman, R., see Pick, C.G. (765) 129
Winkler, H., see Ang, C.W. (765) 13
Witt, M.R., see Karle, J. (765) 21

Yada, T., see Shioda, S. (765) 81
Yan, Q.-S., Reith, M.E.A., Jobe, P.C. and Dailey, J.W.
Dizocilpine (MK-801) increases not only dopamine but also serotonin and norepinephrine transmissions in the nucleus accumbens as measured by microdialysis in freely moving rats (765) 149